

1967 Series New Vintage Gauge Catalog

New Vintage 60s themed gauge set brings authentic 60s and 70s style to your dash. We see so many musclecars that look great but fall short with the "off the shelf" look to the dash. Our gauges are a great alternative to other brands, they look different but right. All instruments are made by hand in our shop in Detroit, where car parts should be made.

Our inspiration came from many vehicles from the 60s but we paid particular attention to the 67-68 Mustang. Those instruments had a very period look. We didn't set out to duplicate them, but rather take the feel of the era and interpret the graphics into these sets.

Authentic mid 60s-70s styling Rugged construction Complete kits or individual gauges Mix and match sizes to suit your dash Wide range of sizes/layouts

Made In The USA



3-1 GAUGE KIT 4-3/8"

All of the functions you need in a compact package. Kuit includes speedo, tach, fuel level oil pressure, water temperature, voltage, warning lamps with signals, wiring harnesses and speed sender. (fuel sender included on 240-33 but not with factory match 0-90 or 73-10)

67253-01 1967 3-1 KIT 0-90 GM BLACK **67254-01** 1967 3-1 KIT 240-33 BLACK

67255-01 1967 3-1 KIT 73-10 FORD/CHRY BLACK



67253-01 67254-01 67255-01



67205-01 4 3/8" 2 GAUGE KIT BLACK PROG SPEEDO 240 FUEL UNIV.

Kit includes 4-3/8 programmable speedometer 140 MPH, 4-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge, pressure, temperature and GM speedometer sender with 7/8-18 thread. Universal 240-33 ohm adjustable fuel level sender, color coded wiring harnesses and detailed instructions.

67285-01 4 3/8" 2 GAUGE KIT BLACK PROG SPEEDO FORD/CHRY KIT

Kit includes 4-3/8 programmable speedometer 140 MPH, 4-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge (73-10 Ford/Chrysler range), pressure, temperature and GM speedometer sender with 7/8-18 thread and Ford style speedometer sender adapter, color coded wiring harnesses and detailed instructions.



67205-01 67285-01



2 GAUGE KITS 3-3/8"

67204-01 3-3/8" 2 GAUGE SET BLACK MECH SPEEDO

Kit includes 3-3/8 mechanical speedometer 140 MPH, 3-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge, pressure, temperature sender. Universal 240-33 ohm adjustable fuel level sender and detailed instructions.

67284-01 3-3/8" 2 GAUGE SET BLACK MECH SPEEDO FORD/CHRY KIT

Kit includes 3-3/8 mechanical speedometer 140 MPH, 3-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge WITH 73-10 Ford/Chrysler range), pressure, temperature senders. and detailed instructions.



67204-01 67284-01



67214-01 3-3/8" 2 GAUGE SET BLACK PROG SPEEDO

Kit includes 3-3/8 programmable speedometer 140 MPH, 3-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge, pressure, temperature and GM speedometer sender with 7/8-18 thread. Universal 240-33 ohm adjustable fuel level sender, color coded wiring harness and detailed instructions.

67274-01 3-3/8" 2 GAUGE SET BLACK PROG SPEEDO FORD/CHRY KIT

Kit includes 3-3/8 programmable speedometer 140 MPH, 3-3/8 quad gauge (100-250F water temp, 0-100PSI oil pressure, 8-18 volts Empty-Full fuel gauge (73-10 Ford/Chrysler range), pressure, temperature and GM speedometer sender with 7/8-18 thread and Ford style speedometer sender adapter, color coded wiring harnesses and detailed instructions.



67274-01



67336-01 1967 3 GA 3-3/8 PROG SPEEDO, DUAL GAUGES BLACK

Kit includes 3-3/8 programmable speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full) pressure, temperature, universal adjustable 240-330hm fuel sender and GM speedometer sender with 7/8-18 thread. Universal 240-33 ohm adjustable fuel level sender, color coded wiring harness.

67386-01 1967 3 GA 3-3/8 PROG SPEEDO, DUAL GAUGES BLACK FORD/CHRY

Kit includes 3-3/8 programmable speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full with 73-10 Ford/Chrysler) pressure, temperature, universal adjustable 240-33ohm fuel sender and GM speedometer sender with 7/8-18 thread, Ford style speedometer adapter, color coded wiring harness



67306-01 1967 3 GA 3-3/8 MECH SPEEDO, DUAL GAUGES BLACK

Kit includes 3-3/8 mechanical speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full) pressure, temperature and universal adjustable 240-33ohm fuel sender. Universal 240-33 ohm adjustable fuel level sender, color coded wiring

67376-01 1967 3 GA 3-3/8 MECH SPEEDO, DUAL GAUGES BLACK FORD/CHRY

Kit includes 3-3/8 mechanical speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full 73-10 Ford/Chrysler range) pressure, temperature senders, color coded wiring harness.





67335-01 1967 3 GA KIT 4-3/8 PROG SPEEDO, 3-3/8 DUALS BLACK

Kit includes 4-3/8 programmable speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full) pressure, temperature, universal adjustable 240-330hm fuel sender and GM speedometer sender with 7/8-18 thread. Universal 240-33 ohm adjustable fuel level sender, color coded wiring harness

67385-01 1967 3 GA KIT 4-3/8 PROG SPEEDO, 3-3/8 DUALS BLACK FORD/CHRYSLER KIT

Kit includes 4-3/8 programmable speedometer, 2 EA 3-3/8 inch dual (water temp 100-250F, volts 8-18, oil pressure 100 PSI, fuel Empty/Full with 73-10 Ford/Chrysler) pressure, temperature, universal adjustable 240-330hm fuel sender and GM speedometer sender with 7/8-18 thread, Ford style speedometer adapter, color coded wiring harness



67385-01



67504-01 1967 5 GAUGE KIT 3-3/8 MECH SPEEDO BLACK 240-33 FUEL

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .10404 square drive) 2-1/16 in fuel (E-F) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure and adjustable universal 240-33 ohm senders adapter bushings

67509-01 1967 SERIES 5 GAUGE KIT 3-3/8 MECH SPEEDO BLACK 0-90 GM FUEL

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .10404 square drive) 2-1/16 in fuel (E-F 0-90 GM range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature and pressure senders adapter bushings

67508-01 1967 5 GA KIT MECH SPEEDO BLACK 73-10 FORD/CHRY FUEL

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .10404 square drive) 2-1/16 in fuel (E-F 73-10 Ford/Chrysler range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature and pressure senders adapter bushings





67514-01 1967 5 GA KIT PROG 3-3/8 SPEEDO BLACK UNIVERSAL

Kit includes 3-3/8 programmable speedometer 140 MPH, 2-1/16 in fuel (E-F) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure and adjustable universal 240-33 ohm fuel level senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.

67519-01 1967 5 GA 3-3/8 PROG SPEEDO BLACK 0-90 GM FUEL

Kit includes 3-3/8 programmable speedometer 140 MPH, 2-1/16 in fuel (E-F 0-90 GM range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.

67518-01 1967 5 GA 3-3/8 PROG SPEEDO BLACK 73-10 FORD/CHRY

Kit includes 3-3/8 programmable speedometer 140 MPH, 2-1/16 in fuel (E-F 73-10 Ford/Chrysler range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.





67604-01 1967 SERIES 6 GAUGE KIT 3-3/8 MECH SPEEDO BLACK

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .10404 square drive), 3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure and adjustable universal 240-33 ohm senders adapter bushings.

67609-01 1967 SERIES 6 GAUGE KIT 3-3/8 MECH SPEEDO BLACK 0-90 GM FUEL

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .104 square drive) 3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F 0-90 GM range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature and pressure senders adapter bushings and detailed instructions included

67608-01 1967 6 GA KIT MECH 3-3/8 SPEEDO BLACK 73-10 FORD/CHRY FUEL

Kit includes 3-3/8 mechanical speedometer (5/8-18 thread .104 square drive), 3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F 73-10 Ford/Chrysler range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature and pressure senders adapter bushings and detailed instructions included.



67609-01



67614-01 1967 6 GA KIT 3-3/8 PROG SPEEDO

Kit includes 3-3/8 programmable speedometer 140 MPH, 3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure and adjustable universal 240-33 ohm fuel level senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included

67619-01 1967 6 GA 3-3/8 PROG SPEEDO BLACK 0-90 GM FUEL

Kit includes 3-3/8 programmable speedometer 140 MPH,3-3/8 tachometer 8000RPM,, 2-1/16 in fuel (E-F 0-90 GM range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.

67618-01 1967 6 GA 3-3/8 PROG SPEEDO BLACK 73-10 FORD/CHRY

Kit includes 3-3/8 programmable speedometer 140 MPH,3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F 73-10 Ford/Chrysler range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.





67651-01 1967 6 GA 4-3/8 PROG SPEEDO BLACK 240 UNIV KIT

Kit includes 4-3/8 programmable speedometer 140 MPH, 4-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure and adjustable universal 240-33 ohm fuel level senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included

67659-01 1967 6 GA 4-3/8 PROG SPEEDO BLACK 0-90 GM FUEL

Kit includes 4-3/8 programmable speedometer 140 MPH,4-3/8 tachometer 8000RPM,, 2-1/16 in fuel (E-F 0-90 GM range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature, pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions included.

67658-01 1967 6 GA 4-3/8 PROG SPEEDO BLACK 73-10 FORD/CHRY

Kit includes 3-3/8 programmable speedometer 140 MPH,3-3/8 tachometer 8000 RPM, 2-1/16 in fuel (E-F 73-10 Ford/Chrysler range) temperature (100-250F) volts (10-16V) pressure (0-100 PSI). Temperature. pressure senders adapter bushings, speedometer wiring harness, GM/Chrysler style speedometer sender and detailed instructions include





INDIVIDUAL GAUGES

67150-01 4-3/8 SPEEDOMETER 140 MPH PROGRAMMABLE-NO SPEEDO SENDER **67151-01** 4-3/8" TACHOMETER 8K **67140-01** 3-3/8" PROGRAMMABLE SPEEDOMETER 140 MPH



67141-01 3-3/8" TACHOMETER 8K 67142-01 3-3/8" MECHANICAL SPEEDOMETER 67233-01 3-3/8" 2-1 COMBO GAUGE KIT (2 GAUGES, TEMP AND PRESSURE SENDER)





67122-01 2-1/16" CLOCK BLACK 1967 SERIES 67193-01 1967 OIL TEMP 2-1/16" W/SENDER BLACK 67195-01 1967 TRANS TEMP 2-1/16" W/SENDER BLACK



67193-01

67195-01

67194-01 1967 VAC/BOOST 2-1/16" BLACK 67123-01 2-1/16" VOLTMETER 67126-01 2-1/16" OIL PRESSURE 100 PSI W/ SENDER





67127-01 2-1/16" WATER TEMP 250FW/ SENDER 67128-01 2-1/16" FUEL LEVEL 240-33 67129-01 2-1/16" FUEL LEVEL GAUGE 0-90 GM



67127-01

67128-01 67129-01

Give egaugesplus a call for your gauge needs.